

according to 1907/2006/EC, Article 31

Printing date 23.05.2017 Revision: 23.05.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier

BTC-20 NF - Trade name:

- 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use: intended for professional use only!

- Application of the substance / the mixture Coolant/ Cutting solution

- 1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier: Alexander BINZFI

Schweißtechnik GmbH & Co.KG Postfach 10 01 53 / D-35331 Giessen

Tel.: +49 (0) 6408 / 59-0 Fax: +49 (0) 6408 / 59-191

Mail: technischedokumentation@binzel-abicor.com

- Further information obtainable from:

Technical Documentation

- 1.4 Emergency telephone number: Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen

Langenbeckstraße 1; Gebäude 601; 55131 Mainz

Tel. Nr.: +49 (0)6131 / 19 24 0

Universitätsmedizin der Johannes Gutenberg-Universität Mainz

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

STOT RE 2 H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

- 2.2 Label elements
- Labelling according to Regulation (EC) No

1272/2008

- Hazard pictograms

The product is classified and labelled according to the CLP regulation.



GHS08

- Signal word Warning

- Hazard-determining components of

labelling:

ethanediol - Hazard statements H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure:

Oral. Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P314 Get medical advice/attention if you feel unwell. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- 2.3 Other hazards

- vPvR

- Results of PBT and vPvB assessment - PBT:

Not applicable. Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures

- Description: Mixture: consisting of the following components.

- Dangerous components: CAS: 107-21-1

- After inhalation:

- After skin contact:

EINECS: 203-473-3 Index number: 603-027-00-1 Reg.nr.: 01-2119456816-28

ethanediol

STOT RE 2, H373; Acute Tox. 4, H302

25-50%

For the wording of the listed hazard phrases refer to section 16. Additional information:

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48

hours after the accident.

Do not leave affected persons unattended. Personal protection for the First Aider.

Take affected persons out of danger area and lay down.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment in case of complaints.

Seek medical treatment.

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Printing date 23.05.2017 Version number 2 Revision: 23.05.2017

Trade name: BTC-20 NF

(Contd. of page 1)

- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Protect unharmed eve.

- After swallowing: If symptoms persist consult doctor.

 4.2 Most important symptoms and effects. both acute and delayed No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media

- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- 5.2 Special hazards arising from the

substance or mixture 5.3 Advice for firefighters No further relevant information available.

- Protective equipment: Do not inhale explosion gases or combustion gases.

- Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective

equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation Wear protective clothing. Avoid contact with skin and eyes

- 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water. Prevent from spreading (e.g. by damming-in or oil barriers).

- 6.3 Methods and material for containment

6.4 Reference to other sections

and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles.

- Information about fire - and explosion protection: No special measures required.

- 7.2 Conditions for safe storage, including any incompatibilities

- Storage:

- Requirements to be met by storerooms and

receptacles:

Store only in the original receptacle.

- Information about storage in one common

storage facility:

Store away from foodstuffs.

- Further information about storage

conditions:

Store in dry conditions.

Keep container tightly sealed.

Recommended storage temperature: 10-30 ℃

- Storage class: - 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of

technical facilities: No further data; see item 7.

8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace:

107-21-1 ethanediol

WEL Short-term value: 104** mg/m³, 40** ppm Long-term value: 10* 52** mg/m³, 20** ppm Sk *particulate **vapour

The lists valid during the making were used as basis.

- Additional information: - 8.2 Exposure controls

- Personal protective equipment:

- General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 23.05.2017 Revision: 23.05.2017 Version number 2

Trade name: BTC-20 NF

(Contd. of page 2)

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Respiratory protection: When used properly and under normal conditions, breathing protection is not required.

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A/P2

Respiratory protection - Gas filters and combination filters according to EN 141

- Protection of hands:



Protective gloves

Check protective gloves prior to each use for their proper condition. Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

- Material of gloves Recommended materials:

Butyl rubber, BR

Recommended thickness of the material: ≥ 0.5 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of

quality and varies from manufacturer to manufacturer.

- Penetration time of glove material The determined penetration times according to EN 374 part III are not performed under practical

conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is

recommended.

- As protection from splashes gloves made of

the following materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.1 mm

Penetration time (min.): <10

- Eye protection:



Tightly sealed goggles

Protective goggles and facial protection - Classification according to EN 166

- Body protection: Protective work clothing Impervious protective clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- General Information

Appearance: Form: Colour:

Odour:

Fluid Colourless Characteristic Not determined.

- Odour threshold: - pH-value at 20 °C:

- Change in condition

Melting point/freezing point: Undetermined. Initial boiling point and boiling range: Undetermined.

- Flash point: - Flammability (solid, gas): Not applicable. Not applicable.

Ignition temperature:

Decomposition temperature:

Not determined.

- Auto-ignition temperature: Product is not selfigniting

 Explosive properties: Product does not present an explosion hazard.

- Explosion limits:

Lower: Not determined. Upper: Not determined. - Density at 20 °C: 1.04 g/cm³

- Relative density Not determined. Vapour density Not determined. Evaporation rate Not determined.

(Contd. on page 4)

(Contd. of page 3)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.05.2017 Version number 2 Revision: 23.05.2017

Trade name: BTC-20 NF

- Solubility in / Miscibility with water: Fully miscible.

- Partition coefficient: n-octanol/water: Not determined.

- Viscosity:

Dynamic: Not determined. Kinematic: Not determined.

- **9.2 Other information**No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability

- Thermal decomposition / conditions to be

avoided:

- 10.3 Possibility of hazardous reactions

- 10.4 Conditions to avoid - 10.5 Incompatible materials:

- 10.6 Hazardous decomposition products:

No further relevant information available.

No decomposition if used according to specifications.

No dangerous reactions known.

No further relevant information available. No further relevant information available. No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects

Acute toxicity
 Based on available data, the classification criteria are not met.

- LD/LC50 values relevant for classification:

107-21-1 ethanediol

Oral LD50 7712 mg/kg (rat)

LDLo ~1600 mg/kg (human)

Dermal LD50 > 3500 mg/kg (mouse)

9530 mg/kg (rabbit)

LC50 > 2.5 mg/l (rat) (6h; as aerosol)

Primary irritant effect:

- Skin corrosion/irritation Based on available data, the classification criteria are not met.

- Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation
 CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- **Germ cell mutagenicity**- **Reproductive toxicity**Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

STOT-single exposure
 STOT-repeated exposure
 Based on available data, the classification criteria are not met.
 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity

-	Agu	atic	toxi	city:

107-21-1 ethanediol

EC20 > 1995 mg/l (Belebtschlamm) (0,5h; ISO 8192)

EC50 > 10000 mg/l (ALGAE)

> 100 mg/l (Daphnia magna) (48h; OECD 202)

6000 - 13000 mg/l (Selenastrum capricornutum) (96h)

NOEC 8590 mg/l (Ceriodaphnia dubia) (7d)

_C50 | 18000 mg/l (Oncorhynchus mykiss (Regenbogenforelle)) (96h)

72860 mg/l (Pimephales promelas) (96h; static test)

NOEC 15380 mg/l (Pimephales promelas) (7d)

12.2 Persistence and degradability
 12.3 Bioaccumulative potential
 12.4 Mobility in soil
 No further relevant information available.
 No further relevant information available.

- Additional ecological information:

- General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage

system.

- 12.5 Results of PBT and vPvB assessment

- PBT: Not applicable.- vPvB: Not applicable.

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 23.05.2017 Revision: 23.05.2017 Version number 2

Trade name: BTC-20 NF

- 12.6 Other adverse effects No further relevant information available. (Contd. of page 4)

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- European waste catalogue					
14 06 03*	other solvents and solvent mixtures				
15 01 10*	packaging containing residues of or contaminated by hazardous substances				
15 01 02	plastic packaging				

- Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations. Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information				
- 14.1 UN-Number - ADR, ADN, IMDG, IATA	Void			
- 14.2 UN proper shipping name - ADR, ADN, IMDG, IATA	Void			
14.3 Transport hazard class(es)ADR, ADN, IMDG, IATAClass	Void			
- 14.4 Packing group - ADR, IMDG, IATA	Void			
- 14.5 Environmental hazards: - Marine pollutant:	No			
- 14.6 Special precautions for user	Not applicable.			
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.				
- UN "Model Regulation":	Void			

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances ANNEX I

- REGULATION (EC) No 1907/2006 ANNEX

XVII

None of the ingredients is listed.

Conditions of restriction: 3

- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases H302 Harmful if swallowed.

H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure:

Oral.

- Department issuing SDS: **Technical Documentation** Contact: **Technical Documentation**

 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

- Sources Internet:

- www.echa.com - www.baua.de

(Contd. on page 6)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.05.2017 Version number 2 Revision: 23.05.2017

Trade name: BTC-20 NF

- www.gestis.itrust.de (IFA: Institute für Occupational Safety and Health of the German Social Accident Insurance) (Contd. of page 5)

- * Data compared to the previous version altered.